0.	Safety Data Sheet	This product is registered in accordance with the EU REACH regulation
		According to REACH/CLP and GHS regulation, no safety data sheet is required for this product
0.1	Version:	3.1.2
0.2	Revision Date:	2025-05-06
0.3	Superseded date:	all versions with older date
0.4	Accordance with:	Commission Regulations (EU) 2020/878 of 18 June 2020
		Globally Harmonized System (GHS) 0773/2021, Decree 1496 of 2018
1.	IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY	
1.1	Product	
	Trade name:	INDOMET TETRA
	Index No .:	
	EC No .:	946-850-4
	REACH registration No.: CAS No .:	01-2120798690-40-0000 -/-
1.2	Relevant identified uses of the substance or mixture	1
	Relevant identified uses:	Silicone oil for diffusion pumps
	Uses advised against:	for industrial use only
1.3	Details of the supplier	INDOMET GmbH
	providing the safety data sheet	Amelunxenstrasse 13
		48167 Muenster
		Germany
		email: support.office@indomet.com phone: +49 2506 30 79 750
1.4	Emergency Phone Number	
	(National helpdesks have been established as the first point of	https://echa.europa.eu/support/helpdesks
	contact for questions related to the BPR, CLP and REACH	
	regulations. They can give you advice in your own language and are	
	aware of local conditions that can be relevant for the correct compliance with these regulations.)	
2.	HAZARDS IDENTIFICATION	
2. 2.1	Classification of the substance or mixture	
2.1	according to Regulation (EC) No. 1272/2008 according to GHS	classified as not dangerous
2.2	Label elements according to Regulation (EC) no. 1272/2008	
	Pictogram:	not any
	Signal word:	not any
	Hazardous ingredients for labeling contains:	not any
	Hazard statements:	not any
	Safety instructions: Further label elements:	not any not any
2.3	Other Hazards	not known
	COMPOSITION / INFORMATION ON INGREDIENTS	
3		
3. 3.1	Chemical characterization	silicone oil

4.	FIRST AID MEASURES	
4.1	Description of First Aid Measures:	Description of first aid measures Protection of first-aiders: No special precautions are necessary fo first aid responders.
		If inhaled: inhaled, remove to fresh air. Get medical attention if symptoms occur.
		In case of skin contact: Wash with water and soap as a precaution. Get medical attention if symptoms occur.
		In case of eye contact: Flush eyes with water as a precaution.
		Get medical attention if irritation develops and persists.
		If swallowed: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
4.2	Important acousts and deformed symptoms	None
	Important accute and deferred symptons	
4.3	Refers to medical first aid or special treatment	None
5.	FIRE-FIGHTING MEASURES	Ouitable autineviables media
5.1	Suitable extinguishing media	Suitable extinguishing media:
		Water spray Alcohol-resistant foam
		Carbon dioxide (CO2)
		Dry chemical
5.0	Lineards devices for	Unsuitable extinguishing media: None known.
5.2	Hazards during fire	Exposure to combustion products may be a hazard to health.
	fighting	Hazardous combustion products: Carbon oxides Silicon oxides Formaldehyde
5.3	Advice for firefighters	Special protective equipment for firefighters:
0.0		Wear self-contained breathing apparatus for firefighting if necessa Use personal protective equipment.
		Specific extinguishing methods:
		Use extinguishing measures that are appropriate to local cir-
		cumstances and the surrounding environment.
		Use water spray to cool unopened containers.
		Remove undamaged containers from fire area if it is safe to do so Evacuate area.
6.	ACCIDENTAL RELEASE MEASURES	
6.1	Personal precautions, protective equipment and emergency procedures	danger of slipping due to leaking / spilled product.
6.2	Environmental	Discharge into the environment must be avoided.
	precautions	Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil
		barriers).
		Retain and dispose of contaminated wash water.
		Local authorities should be advised if significant spillages cannot l
		contained.
6.3	Methods and materials for	Soak up with inert absorbent material.
	containment and cleaning up	For large spills, provide dyking or other appropriate containment to
		keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
		Clean up remaining materials from spill with suitable absorbent.
		Local or national regulations may apply to releases and disposal of
		this materia.
6.4	Reference to other paragraphs	none
7	HANDLING AND STORAGE	.
	Advice on safe handling	Avoid eye contact.
7. 7.1		General ventilation is recommended.
		Do not ampty into draina
7.1	Advice on storage	Do not empty into drains.
	Advice on storage	
7.1	Advice on storage	Keep in properly labelled containers. Store in accordance with the

8.1	EXPOSURE CONTROLS / PERSONAL PROTECTION	none
Q 2	Control parameters	none
8.2	Exposure controls	Technical controls: Ensure adequate ventilation Personal protective equipment
		Eye and face protection: Wear safety goggles.
		Skin and body protection: suitable protective clothing. Wearing
		safety gloves.
		Respiratory protection: none under normal use conditions
9.	PHYSICAL AND CHEMICAL PROPERTIES	
9.1	Information about the basic chemical and physical properties	Form: Liquid
		Colour : Clear
		Odour : None
		Boiling point (0.5 mbar) : >215 °C
		Flash point : >212 °C
		Explosive properties : No
		Specific Gravity : 1.07
		Viscosity: 40 cSt at 25°C
		Oxidizing properties: No
9.2	Other information	None
10.	STABILITY AND REACTIVITY	
10.1	Reactivity	Not classified as a reactivity hazard.
10.2	Stability	Stable under normal usage conditions.
10.3	Possibility of hazardous	Use at elevated temperatures may form highly hazardous
	reactions	compounds.
10 4	Conditions to sucid	Can react with strong oxidizing agents.
10.4	Conditions to avoid	None established
10.5	Materials to avoid	Oxidizing agents
10.6	Hazardous decomposition products TOXICOLOGICAL INFORMATION	Benzene, Formaldehyde
11. 11.1	Toxicological Information	Broduct pages no rick in the form of courte toxicity
11.1	□ Acute toxicity:	Product poses no risk in the form of acute toxicity, according to known or available information.
	Skin corrosion/irritation:	according to known of available information.
	Serious eye damage/irritation:	
	Respiratory or skin sensitisation	
	germ cell mutagenicity;	
	□ carcinogenicity;	
	 reproductive toxicity; 	
	Summary of evaluation of the CMR properties;	
	□ STOT-single exposure;	
	 STOT-single exposure; STOT-repeated exposure; 	
10	 STOT-single exposure; STOT-repeated exposure; aspiration hazard: 	
12. 12 1	 STOT-single exposure; STOT-repeated exposure; aspiration hazard: ECOLOGICAL INFORMATION 	No adverse effects on aquatic organisms
12. 12.1	 STOT-single exposure; STOT-repeated exposure; aspiration hazard: 	No adverse effects on aquatic organisms.
	 STOT-single exposure; STOT-repeated exposure; aspiration hazard: ECOLOGICAL INFORMATION 	Siloxanes are removed from water by sedimentation or binding t
12.1 12.2	 STOT-single exposure; STOT-repeated exposure; aspiration hazard: ECOLOGICAL INFORMATION Ecotoxicity effects Persistence and degradability 	Siloxanes are removed from water by sedimentation or binding t sewage sludge. In soil, siloxanes are degraded.
12.1 12.2 12.3	STOT-single exposure; STOT-repeated exposure; aspiration hazard: ECOLOGICAL INFORMATION Ecotoxicity effects Persistence and degradability Bioaccumulation	Siloxanes are removed from water by sedimentation or binding to sewage sludge. In soil, siloxanes are degraded. No bioaccumulation potential.
12.1 12.2 12.3	 STOT-single exposure; STOT-repeated exposure; aspiration hazard: ECOLOGICAL INFORMATION Ecotoxicity effects Persistence and degradability 	Siloxanes are removed from water by sedimentation or binding to sewage sludge. In soil, siloxanes are degraded. No bioaccumulation potential. Fate and effects in waste water treatment plants:
12.1 12.2	STOT-single exposure; STOT-repeated exposure; aspiration hazard: ECOLOGICAL INFORMATION Ecotoxicity effects Persistence and degradability Bioaccumulation	Siloxanes are removed from water by sedimentation or binding to sewage sludge. In soil, siloxanes are degraded. No bioaccumulation potential. Fate and effects in waste water treatment plants: Removed > 90% by binding onto sewage sludge. No adverse
12.1 12.2 12.3	STOT-single exposure; STOT-repeated exposure; aspiration hazard: ECOLOGICAL INFORMATION Ecotoxicity effects Persistence and degradability Bioaccumulation	 Siloxanes are removed from water by sedimentation or binding t sewage sludge. In soil, siloxanes are degraded. No bioaccumulation potential. Fate and effects in waste water treatment plants: Removed > 90% by binding onto sewage sludge. No adverse effects on bacteria. The siloxanes in this product do
12.1 12.2 12.3	STOT-single exposure; STOT-repeated exposure; aspiration hazard: ECOLOGICAL INFORMATION Ecotoxicity effects Persistence and degradability Bioaccumulation	Siloxanes are removed from water by sedimentation or binding to sewage sludge. In soil, siloxanes are degraded. No bioaccumulation potential. Fate and effects in waste water treatment plants: Removed > 90% by binding onto sewage sludge. No adverse
12.1 12.2 12.3 12.4	 STOT-single exposure; STOT-repeated exposure; aspiration hazard: ECOLOGICAL INFORMATION Ecotoxicity effects Persistence and degradability Bioaccumulation Release to waters / Mobility in soil 	 Siloxanes are removed from water by sedimentation or binding t sewage sludge. In soil, siloxanes are degraded. No bioaccumulation potential. Fate and effects in waste water treatment plants: Removed > 90% by binding onto sewage sludge. No adverse effects on bacteria. The siloxanes in this product do not contribute to the BOD.
12.1 12.2 12.3 12.4	STOT-single exposure; STOT-repeated exposure; aspiration hazard: ECOLOGICAL INFORMATION Ecotoxicity effects Persistence and degradability Bioaccumulation	Siloxanes are removed from water by sedimentation or binding t sewage sludge. In soil, siloxanes are degraded. No bioaccumulation potential. Fate and effects in waste water treatment plants: Removed > 90% by binding onto sewage sludge. No adverse effects on bacteria. The siloxanes in this product do not contribute to the BOD.
12.1 12.2 12.3	 STOT-single exposure; STOT-repeated exposure; aspiration hazard: ECOLOGICAL INFORMATION Ecotoxicity effects Persistence and degradability Bioaccumulation Release to waters / Mobility in soil 	Siloxanes are removed from water by sedimentation or binding to sewage sludge. In soil, siloxanes are degraded. No bioaccumulation potential. Fate and effects in waste water treatment plants: Removed > 90% by binding onto sewage sludge. No adverse effects on bacteria. The siloxanes in this product do not contribute to the BOD. none; This substance is not considered to be persistent, bioaccumulation
12.1 12.2 12.3 12.4	 STOT-single exposure; STOT-repeated exposure; aspiration hazard: ECOLOGICAL INFORMATION Ecotoxicity effects Persistence and degradability Bioaccumulation Release to waters / Mobility in soil 	Siloxanes are removed from water by sedimentation or binding t sewage sludge. In soil, siloxanes are degraded. No bioaccumulation potential. Fate and effects in waste water treatment plants: Removed > 90% by binding onto sewage sludge. No adverse effects on bacteria. The siloxanes in this product do not contribute to the BOD.
12.1 12.2 12.3 12.4	 STOT-single exposure; STOT-repeated exposure; aspiration hazard: ECOLOGICAL INFORMATION Ecotoxicity effects Persistence and degradability Bioaccumulation Release to waters / Mobility in soil 	Siloxanes are removed from water by sedimentation or binding t sewage sludge. In soil, siloxanes are degraded. No bioaccumulation potential. Fate and effects in waste water treatment plants: Removed > 90% by binding onto sewage sludge. No adverse effects on bacteria. The siloxanes in this product do not contribute to the BOD. none; This substance is not considered to be persistent, bioaccumulat and toxic (PBT) considered. This preparation does not contain substances
12.1 12.2 12.3 12.4	 STOT-single exposure; STOT-repeated exposure; aspiration hazard: ECOLOGICAL INFORMATION Ecotoxicity effects Persistence and degradability Bioaccumulation Release to waters / Mobility in soil 	Siloxanes are removed from water by sedimentation or binding t sewage sludge. In soil, siloxanes are degraded. No bioaccumulation potential. Fate and effects in waste water treatment plants: Removed > 90% by binding onto sewage sludge. No adverse effects on bacteria. The siloxanes in this product do not contribute to the BOD. none; This substance is not considered to be persistent, bioaccumulat and toxic (PBT) considered. This preparation does not contain substances classified as
12.1 12.2 12.3 12.4	 STOT-single exposure; STOT-repeated exposure; aspiration hazard: ECOLOGICAL INFORMATION Ecotoxicity effects Persistence and degradability Bioaccumulation Release to waters / Mobility in soil 	 Siloxanes are removed from water by sedimentation or binding t sewage sludge. In soil, siloxanes are degraded. No bioaccumulation potential. Fate and effects in waste water treatment plants: Removed > 90% by binding onto sewage sludge. No adverse effects on bacteria. The siloxanes in this product do not contribute to the BOD. none; This substance is not considered to be persistent, bioaccumulat and toxic (PBT) considered. This preparation does not contain substances classified as persistent, bioaccumulative and toxic apply (PBT). this material
12.1 12.2 12.3 12.4	 STOT-single exposure; STOT-repeated exposure; aspiration hazard: ECOLOGICAL INFORMATION Ecotoxicity effects Persistence and degradability Bioaccumulation Release to waters / Mobility in soil 	Siloxanes are removed from water by sedimentation or binding to sewage sludge. In soil, siloxanes are degraded. No bioaccumulation potential. Fate and effects in waste water treatment plants: Removed > 90% by binding onto sewage sludge. No adverse effects on bacteria. The siloxanes in this product do not contribute to the BOD. none; This substance is not considered to be persistent, bioaccumulatiand toxic (PBT) considered. This preparation does not contain substances classified as persistent, bioaccumulative and toxic apply (PBT). this material is not very persistent or very bioaccumulative (vPvB)
12.1 12.2 12.3 12.4	 STOT-single exposure; STOT-repeated exposure; aspiration hazard: ECOLOGICAL INFORMATION Ecotoxicity effects Persistence and degradability Bioaccumulation Release to waters / Mobility in soil 	Siloxanes are removed from water by sedimentation or binding to sewage sludge. In soil, siloxanes are degraded. No bioaccumulation potential. Fate and effects in waste water treatment plants: Removed > 90% by binding onto sewage sludge. No adverse effects on bacteria. The siloxanes in this product do not contribute to the BOD. none; This substance is not considered to be persistent, bioaccumulatiand toxic (PBT) considered. This preparation does not contain substances classified as persistent, bioaccumulative and toxic apply (PBT). this material is not very persistent or very bioaccumulative (vPvB)
12.1 12.2 12.3 12.4	STOT-single exposure; STOT-repeated exposure; aspiration hazard: ECOLOGICAL INFORMATION Ecotoxicity effects Persistence and degradability Bioaccumulation Release to waters / Mobility in soil Results of PBT and vPvB assessment	 Siloxanes are removed from water by sedimentation or binding t sewage sludge. In soil, siloxanes are degraded. No bioaccumulation potential. Fate and effects in waste water treatment plants: Removed > 90% by binding onto sewage sludge. No adverse effects on bacteria. The siloxanes in this product do not contribute to the BOD. none; This substance is not considered to be persistent, bioaccumulatiand toxic (PBT) considered. This preparation does not contain substances classified as persistent, bioaccumulative and toxic apply (PBT). this material is not very persistent or very bioaccumulative (vPvB) considered. This preparation does not contain substances classified as persistent or very bioaccumulative (vPvB) considered. This preparation does not contain substances classified as persistent or very bioaccumulative (vPvB) considered. This preparation does not contain substances classified as persistent or very bioaccumulative (vPvB) considered. This preparation does not contain substances classified as persistent or very bioaccumulative (vPvB) considered. This preparation does not contain substances classified as persistent or very bioaccumulative (vPvB) considered. This preparation does not contain substances classified as very persistent or very bioaccumulative (Sps) apply.
12.1 12.2 12.3 12.4 12.5	STOT-single exposure; STOT-repeated exposure; aspiration hazard: EcoloGiCAL INFORMATION Ecotoxicity effects Persistence and degradability Bioaccumulation Release to waters / Mobility in soil Results of PBT and vPvB assessment Other adverse effects	Siloxanes are removed from water by sedimentation or binding t sewage sludge. In soil, siloxanes are degraded. No bioaccumulation potential. Fate and effects in waste water treatment plants: Removed > 90% by binding onto sewage sludge. No adverse effects on bacteria. The siloxanes in this product do not contribute to the BOD. none; This substance is not considered to be persistent, bioaccumulat and toxic (PBT) considered. This preparation does not contain substances classified as persistent, bioaccumulative and toxic apply (PBT). this material is not very persistent or very bioaccumulative (vPvB) considered. This preparation does not contain substances class as very
12.1 12.2 12.3 12.4 12.5	STOT-single exposure; STOT-repeated exposure; aspiration hazard: EcoloGiCAL INFORMATION Ecotoxicity effects Persistence and degradability Bioaccumulation Release to waters / Mobility in soil Results of PBT and vPvB assessment Other adverse effects DISPOSAL CONSIDERATIONS	 Siloxanes are removed from water by sedimentation or binding to sewage sludge. In soil, siloxanes are degraded. No bioaccumulation potential. Fate and effects in waste water treatment plants: Removed > 90% by binding onto sewage sludge. No adverse effects on bacteria. The siloxanes in this product do not contribute to the BOD. none; This substance is not considered to be persistent, bioaccumulat and toxic (PBT) considered. This preparation does not contain substances classified as persistent, bioaccumulative and toxic apply (PBT). this material is not very persistent or very bioaccumulative (vPvB) considered. This preparation does not contain substances class as very persistent or very bioaccumulative (Sps) apply. none
12.1 12.2 12.3 12.4	STOT-single exposure; STOT-repeated exposure; aspiration hazard: ECOLOGICAL INFORMATION Ecotoxicity effects Persistence and degradability Bioaccumulation Release to waters / Mobility in soil Results of PBT and vPvB assessment Other adverse effects DISPOSAL CONSIDERATIONS Product and packaging	Siloxanes are removed from water by sedimentation or binding to sewage sludge. In soil, siloxanes are degraded. No bioaccumulation potential. Fate and effects in waste water treatment plants: Removed > 90% by binding onto sewage sludge. No adverse effects on bacteria. The siloxanes in this product do not contribute to the BOD. none; This substance is not considered to be persistent, bioaccumulatiand toxic (PBT) considered. This preparation does not contain substances classified as persistent, bioaccumulative and toxic apply (PBT). this material is not very persistent or very bioaccumulative (vPvB) considered. This preparation does not contain substances class as very persistent or very bioaccumulative (Sps) apply. none Dispose of in accordance with local regulations. According to the
12.1 12.2 12.3 12.4 12.5 12.6 13 .	STOT-single exposure; STOT-repeated exposure; aspiration hazard: EcoloGiCAL INFORMATION Ecotoxicity effects Persistence and degradability Bioaccumulation Release to waters / Mobility in soil Results of PBT and vPvB assessment Other adverse effects DISPOSAL CONSIDERATIONS	 Siloxanes are removed from water by sedimentation or binding t sewage sludge. In soil, siloxanes are degraded. No bioaccumulation potential. Fate and effects in waste water treatment plants: Removed > 90% by binding onto sewage sludge. No adverse effects on bacteria. The siloxanes in this product do not contribute to the BOD. none; This substance is not considered to be persistent, bioaccumulatiand toxic (PBT) considered. This preparation does not contain substances classified as persistent, bioaccumulative and toxic apply (PBT). this material is not very persistent or very bioaccumulative (vPvB) considered. This preparation does not contain substances classified as persistent or very bioaccumulative (vPvB) considered. This preparation does not contain substances classified as persistent or very bioaccumulative (vPvB) considered. This preparation does not contain substances classified as persistent or very bioaccumulative (vPvB) considered. This preparation does not contain substances classified as persistent or very bioaccumulative (vPvB) considered. This preparation does not contain substances classified as persistent or very bioaccumulative (vPvB) considered. This preparation does not contain substances classified as very persistent or very bioaccumulative (Sps) apply.

not a hazardous material
not a hazardous material
Road / Rail Transport (ADR / RID): - Not subject to ADR / RID. Sea transport (IMDG):
- Not subject to IMDG code. Air transport (IATA): - Not subject to IATA.
none
none
none
none
none
Prepared by: INDOMET GmbH These data are offered in good faith as typical values and not as product specifications. No warranty, either expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.